

DISINFECTION IN A FLASH


# Adding UV Light Disinfection to Your HVAC System



## TABLE OF CONTENTS

Introduction	3
The Need for UV Disinfection	3
The Return on Your Investment	5
Technical Considerations	6
Conclusion	7
References	8
About PURO Lighting and Violet Defense Technology	9

# Introduction



Mold and fungus can build up on coils and other HVAC surfaces.

The benefits of ultraviolet light against harmful pathogens, including bacteria, viruses, mold and fungi have been known for over 100 years. It has been deployed in hospitals, schools, and many other locations for decades to help protect environments from germs.

While many of the traditional deployments of UV focused on surface decontamination or in upper-room air disinfection units, UV has also gained traction in the HVAC industry, as it can both help reduce microbial contamination in the air and improve the cooling efficiency of these systems.

This white paper, written by PURO Lighting's technology partner Violet Defense, lays out the case for why industry experts and professional organizations have endorsed UV as an effective tool for use in HVAC systems, and the value that will be added in both improved air quality and cost savings from improved efficiencies.

## The Need for UV Disinfection

Over the past couple of decades, there has been increased demand for improved air quality, particularly in buildings such as schools and hospitals that often house vulnerable populations. The Institute of Medicine has found evidence connecting mold exposure with respiratory illnesses in otherwise healthy children.<sup>1</sup> Facility managers are tasked with helping protect the air quality in the HVAC systems to prevent mold and other contaminants from ending up in the air that occupants breathe. Additionally, the advent of the COVID-19 pandemic has heightened the need for facility managers to find better ways to protect and disinfect the air inside buildings.

While not a “new” disinfecting technology, UV light has rapidly been growing in use in hospital settings as it is a proven disinfectant for surfaces, instruments, and air. With over 140 years of research behind it, UV light has been proven effective at killing bacteria, viruses, mold, and fungi.

Ultraviolet light attacks microorganisms at the DNA and RNA level. Microbes are not able to develop resistance to ultraviolet light, compared to their ability to form resistance to certain types of chemical disinfectants.

Ultraviolet light has been repeatedly proven effective against pathogens, including *C. diff*, MRSA, *E. coli*, Salmonella, Norovirus, mold and fungi. The ability of UV light to kill microorganisms is directly related to the energy dosage produced by the UV source as a function of spectrum, time and distance to the target.

# The Return on Your Investment

Quantifying the exact benefits of improving air quality achieved by incorporating UV into air-handling systems can be challenging, though research has shown significant reduction in work-related, self-reported acute health symptoms when a UV-C system was ‘irradiating cooling coils and drain pans, compared to when it was powered off.’<sup>5</sup>

“Biofilms on the surface of the cooling coils are like wearing a sweater when trying to cool down.”

Lynn Burkhart  
President & Founder  
Controlled Release Technologies

However, the economic impact of restoring the coils to their optimal condition can be calculated much more easily. Studies conducted by ASHRAE have indicated that building owners could be paying up to 40% more in electrical costs for units fouled with dirt and fungi.<sup>1</sup>

When the coils become fouled with contaminants, the ability for the units to efficiently or adequately transfer heat becomes significantly hindered, causing the compressor to have to work harder. A combination of more heat in the system and rising pressure can result “in a loss of cooling capacity of up to 30%. A 10-ton system with a 30% loss provides only 7 tons of cooling.”<sup>2</sup> Thin biofilms on coil surfaces have been shown to reduce the free area of heat transfer and increase air velocity by 9 percent.<sup>6</sup> All of these additional demands on the system can also reduce the equipment’s life expectancy.

A combination of moisture and dark interiors of HVAC systems make it an optimal place for the growth of mold and other harmful pathogens. Furthermore, pathogens, including bacterial spores can be introduced by occupants when they cough or sneeze and the contaminated particles travel in the airstream back to the air handler.


While not a “new” disinfecting technology, UV light has rapidly been growing in use in hospital settings as it is a proven disinfectant for surfaces, instruments, and air.



Mold and fungus can build up on coils and other HVAC surfaces, including forming biofilms that may not always be visibly detectable. This buildup can also stop or plug up the drains of condensate drip pans, which can lead to additional issues, such as water overflows and pungent odors.<sup>2</sup>

While chemical cleaning can be effective, albeit labor-intensive, the use of caustic chemicals may negatively impact the coils or drain pans if not properly rinsed off after use, including corrosion to the point of requiring premature replacement. According to industry experts, “costs to replace units prematurely corroded from frequent exposure to cleaning chemicals were approximately \$5,000 each.”<sup>3</sup>

As an alternative to chemical decontamination, ultraviolet light has been used in air ducts and air-handling units for some time to help control microbial growth.



In 2008, the American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) officially began to incorporate UV into its handbooks as a viable tool for use in HVAC systems.

According to the National Air Duct Cleaners Association (NADCA), “one of the tools used to improve air quality from HVAC systems is the use of ultraviolet lighting within the system, intended to decrease the level of airborne pathogens and allergens going through the HVAC system and thus into the indoor air environment.”<sup>4</sup> Research has also linked the use of UV with improved performance and efficiency of the air-handling systems.

In 2008, the American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) officially began to incorporate UV into its handbooks as a viable tool for use in HVAC systems. In the 2011 ASHRAE handbook, the organization formally set forth guidelines for how to effectively incorporate UV into air handlers to “1) eliminate mold and bacteria, 2) reduce and/or eliminate coil cleaning and 3) sustain coil performance.”<sup>7</sup>

They did this on the back end of extensive research and application experience proving that “UV-C wavelength inactivates microorganisms living on HVAC air ducts and evaporator coils with a kill ratio of 90% or higher, depending on light intensity, length of exposure, lamp placement and lamp life cycle.”<sup>8</sup>

ASHRAE also cited that mechanically cleaning the surfaces of HVAC equipment “can be costly, difficult to perform, and dangerous to maintenance staff and building occupants.”<sup>9</sup>

Estimates indicate that the cost of implementing a UV disinfection system can pay for itself with energy savings generated, or replacing the costs associated with manual decontamination or part replacements caused by contaminated or corroded system parts. Preventing refrigerant leaks by reducing or eliminating biological corrosion can also save thousands of dollars.<sup>6</sup>

# Technical Considerations



Helio F1 unit

The ASHRAE handbook recommends that to achieve the desired goals of disinfection on the coiling coils, a UV dose of 50-100  $\mu\text{W}/\text{cm}^2$  should strike coil surfaces. This is frequently achieved by deploying a UV-C bulb continuously at a distance of 12 inches from the coils.<sup>9</sup> However, alternate deployment methods are acceptable if they can achieve the desired intensity across the areas to be disinfected.

While the majority of UV systems utilize UV-C exclusively, there are other product offerings on the market like those from PURO Lighting, powered by Violet Defense's technology, that deploy a broad spectrum of UV light, including UV-C, UV-B, and UV-A. While UV-C is typically what's referred to as germicidal, UV-B has also been proven to be lethal to microbes. Furthermore, broad spectrum UV light can inhibit photo-reactivation, the process that can result in self-repair of damaged microbes.

While much of the focus has been on disinfecting coils within air-handling units, UV has also been used to disinfect bioaerosols, or airborne particles that contain living organisms, in the airstream. UV-C can be used to "inactivate substantial fraction of environmental bioaerosols in a single pass of air through a duct."<sup>10</sup>

However, the Air-Conditioning and Refrigeration Technology Institute (ARTI) encourages users to "be extremely cautious regarding claims about UVGI systems' high levels of inactivation of pathogenic bioaerosols." The rate of airflow that may contain these organisms is so fast, up to hundreds or thousands of feet per minute, that it can be incredibly difficult to kill at this rate without substantial UV energy that has been proven to disinfect air in seconds or fractions of a second.<sup>11</sup>

While a UV system for airflow disinfection may be effective, extensive testing should be conducted to confirm it can achieve the targeted disinfection rates. Facility managers should evaluate their goals, both disinfection and cost-reduction, when deciding which UV deployment method will best meet their needs.

# Conclusion

Incorporating UV into air-handling units to address microbial buildup on stationary parts such as coils, drip pans is a highly effective method to limit the growth of mold and other organisms, which has the cost-saving benefits described, as well as the ability to improve air quality for issues associated with dirty coils.

Ultraviolet light has an extensive history of effectively killing microbes in the air and on surfaces, which has been proven to reduce the infection rates of MRSA, *C. diff*, VRE and other harmful pathogens.

With its proven results and chemical-free method of disinfection, ultraviolet light provides a sustainable, effective way to help keep spaces, as well as HVAC systems free from harmful pathogens, including mold, fungi, bacteria and viruses.

# References

1. Burkhart L. Mitigating Mold in School & Hospital HVAC Systems - Facility Management. Facility Management. <http://facilitymanagement.com/mold-school-hospital-hvac-systems/>. Accessed April 26, 2019.
2. Plotner R. The Hidden Value of Coil Cleaning. Coacair.com. [http://www.coacair.com/files/The\\_Hidden\\_Value\\_of\\_Coiling\\_Cleaning.pdf](http://www.coacair.com/files/The_Hidden_Value_of_Coiling_Cleaning.pdf). Published 2013. Accessed April 26, 2019.
3. Top of the Crop: Mushroom Farm Cuts Costs with UV Light Systems. <https://www.freshaireuv.com/assets/assets-public/directory1/Articles/2016/HVACP%20Summer16%20FreshAire%20UV.pdf>. Published 2016. Accessed April 26, 2019.
4. White M, Stradford D, Kowalski W et al. NADCA White Paper on Ultraviolet Lighting Applications in HVAC Systems. [https://hadca.com/sites/default/files/images/2016/hadca\\_white\\_paper\\_on\\_uv\\_lighting\\_applications.pdf](https://hadca.com/sites/default/files/images/2016/hadca_white_paper_on_uv_lighting_applications.pdf). Published 2019. Accessed April 26, 2019.
5. Wargocki P, Saputa D, Kuehn T et al. ASHRAE Position Document on Filtration and Air Cleaning. Ashrae.org. <https://www.ashrae.org/File%20Library/About/Position%20Documents/Filtration-and-Air-Cleaning-PD.PDF>. Published 2015. Accessed April 26, 2019.
6. Service Contractor's UV Installation Cuts HVAC Maintenance Costs and Increases IAQ. <https://www.freshaireuv.com/assets/infection-control-today---uv-installation-cuts-hvac-maintenance-costs-and-increases-iaq-15.2.pdf>. Accessed April 26, 2019.
7. Fencel F. UV-C Light Benefits in HVAC Applications. <https://www.achrnews.com/articles/125256-uv-c-light-benefits-in-hvac-applications>. Published 2014. Accessed April 26, 2019.
8. Kostora N. ASHRAE Validates Effectiveness of UV-C. <https://www.achrnews.com/articles/131877-ashrae-validates-effectiveness-of-uv-c>. Published 2016. Accessed April 26, 2019.
9. Fencel F. Illuminating Info: UV-C for HVAC. <https://www.esmagazine.com/articles/96161-illuminating-info-uv-c-for-hvac>. Published 2013. Accessed April 26, 2019.
10. 2016 ASHRAE Handbook-HVAC Systems And Equipment (SI Edition). Atlanta: ASHRAE; 2016:17.2.
11. Engel A. Airstream or Coil: Which UV Application Is Right?. <https://www.achrnews.com/articles/111961-airstream-or-coil-which-uv-application-is-right>. Published 2009. Accessed April 26, 2019.

## ABOUT PURO UV DISINFECTION LIGHTING

Launched in 2019 in Lakewood, Colorado, PURO™ Lighting products, powered by Violet Defense™ technology, have set out to take proven UV light disinfection technology to the next level by making it more powerful, more affordable and most importantly, smaller and easier to utilize. PURO Lighting products can rapidly disinfect any room of any size and at any time using the proprietary miniaturized, pulsed Xenon Light Engine System. Our high intensity broad-spectrum UV disinfection units rapidly kill up to 99.9% of viruses and bacteria and can significantly reduce the growth of fungi such as yeasts and molds. All in remarkably small, yet powerful fixed or mobile units designed for any sized space. For more information, visit [www.purolighting.com](http://www.purolighting.com).

## ABOUT VIOLET DEFENSE

Founded in 2012, Violet Defense is on a journey to find new ways to protect people from harmful germs that have grown resistant to traditional forms of cleaning and disinfecting. Its patented technology is the only known Pulsed Xenon UV solution that can be installed into a room full-time, creating continuous way to address disinfection needs of all types of settings, including healthcare and non-healthcare alike. Designed to bring hospital-grade disinfection to everyday spaces, Violet Defense has cost-effective solutions to kill up to 99.9% of bacteria and viruses, including *E. coli*, Salmonella, MRSA, Norovirus and *C. diff*. For more information, visit [www.violetdefense.com](http://www.violetdefense.com).



Contact Information for PURO Lighting  
[sales@purolighting.com](mailto:sales@purolighting.com)  
12340 W Cedar Dr, Lakewood CO 80228  
(877) 452-8785